

UD5 Series

Profile

A powerful and expandable hardware platform. It's high speed processor and graphics can support demanding applications or many applications running simultaneously. It supports the broadest set of connectivity to peripherals. Optionally you can add an integrated smartcard reader and a connectivity foot for WiFi and/or a parallel port.



Features

- Maximum performance.
- Free PCI slot.
- Dualview support.
- Integrated smartcard reader (optional).
- Connectivity Foot (optional).

Benefits

- Strong processor and graphics capability for applications like multi-media and video conferencing.
- Customize the UD5 to your needs with the addition of internal peripherals such as fibre optic network cards, 3G cards or firewire controllers.
- Two DVI ports allow the use of an extended desktop over two digital monitors.
- Excellent for highly secure two factor authentication, shared desktops or roaming users wanting sub-10 second application start using Citrix Hot Desktop.
- Expand your device with WiFi and/or a parallel port.



Networking Infrastructure Solutions



Member of the initiative Energy Efficiency made in Germany,
Federal Ministry of Economics and Technology



UD5 – Specifications

System	
Available Operating Systems	IGEL Linux (LX) Microsoft® Windows® Embedded Standard 2009 (ES)
Management	IGEL Universal Management Suite included
Form Factor	Standard
Processor	VIA C7 1.5 GHz (LP)
Chipset	VIA CN896
PCI-slot	1x (low profile)
Memory	
RAM	IGEL Linux: 512 MB Windows Embedded Standard: 1 GB
Flash Memory	IGEL Linux: 1 GB Windows Embedded Standard: 2 GB
Graphics	
Chipset	VIA Chrome9
Video Memory	64-128 MB shared memory
Ports	1x DVI-I, 1x DVI-D (DVI-to-VGA adapter included)
Supported Resolutions	1920 x 1200
Network	
Ethernet	10/100/1000 Base-T
WiFi	Optional, via Connectivity Foot
Audio	
Chipset	AC97 compatible
Ports	1x line-out, 1x mic-in
Speakers	1x internal
Peripheral interfaces	
PS/2	1x keyboard
Serial	2x
Parallel	Optional, via Connectivity Foot or USB-to-Parallel adapter
USB 2.0	2x front, 4x back
Dimensions	
Device (DxWxH)	245 x 104 x 272 mm
Packaging (DxWxH)	366 x 126 x 296 mm
Weight	2.14 kg
Environment	
Cooling	Fanless convection
Operation Noise	0 db
Operating Temperature	Vertical: 0 to 40 °C Horizontal: 0 to 35 °C
Operating Humidity	10% – 80%, non-condensing
Power	
Input	Auto sensing 100~240 VAC / 50~60 Hz
Power Supply	External
Power Consumption: Idle / Sleep Mode	18W / 4W
Options	
Rubber Feet	For horizontal placement of the device.
Connectivity Foot	Option 1: 1x parallel. Option 2: 1x parallel plus 802.11b/g WLAN.
Built-in smartcard reader	For secure smartcard-based authentication.
USB-to-Serial Adapter	For connecting peripherals that require a serial port.
USB-to-Parallel Adapter	For connecting printers that require a parallel port.

Connectivity options



Front: 2x USB 2.0.

Connectivity Foot



Optional connectivity for wireless networking and parallel I/O.

Product color options



White Dark Blue Black



www.igel.com/en/evaluation

Germany (HQ)
IGEL Technology GmbH
Hanna-Kunath-Str. 31
D-28199 Bremen
Germany
Tel +49 (0) 421 52094 0
Fax +49 (0) 421 52094 1499

United Kingdom
IGEL Technology Ltd
1210 Parkview
Arlington Business Park
Theale · Reading · Berkshire
RG7 4TY · UK
Tel +44 (0) 118 340 3400
Fax +44 (0) 118 340 3411

United States
IGEL Technology Inc.
5353 NW 35th Avenue
Fort Lauderdale
FL 33309 · USA
Tel +1 954 739 9990
Fax +1 954 739 9991
Toll Free (US only):
+1 877 GET IGEL

Singapore
IGEL Technology
Care of: C. Melchers GmbH & Co.
Singapore Branch
101 · Thomson Road
24-01/05 United Square
Singapore 307591
Tel +65 6259 9288
Fax +65 6259 9111

Hong Kong
IGEL Technology
Care of: Melchers (H.K.) Ltd.
1210 Shun Tak Centre
West Tower
168-200 Connaught Road C.
Hong Kong
Tel +852 25469069
Fax +852 25596552

Standard is 2 years thin client warranty for end customers (after date of delivery). After an online registration this warranty will be extended for one year. IGEL is a registered trademark of IGEL Technology GmbH. All hardware and software names are registered trademarks of the respective manufacturers. Errors and omissions excepted. Subject to change without notice. ©10/2009 IGEL Technology info@igel.com 83-EN-12-1

